

*Multipurpose Damen Fast Crew Supplier 2610, completely fitted out for 24 pax and for longer offshore operations (standby duties). This CTV has been kept in very good condition and is immediately available.*

Type	DAMEN Fast Crew Supplier 2610	
Built	2014, refurbished 2020	
Dimensions	26.30 (23.98 mtrs WLL) x 10.27 x 2.20 mtrs	
Draft	± 2.20 m, depending on loading conditions	
Material	Aluminium both hull and superstructure	
Tonnage	GRT/NRT 81.58 tonnes (UK tonnage)	
Propulsion	2x Fixed pitch propellers	
Main engines	2 x Caterpillar, type C32 TTA	
Output	2400 bhp total	
Gearboxes	Reintjes, type ZWVS440/1 (two speed)	
Bowthruster	2x 50 kW tunnel type	
Speed	22 knots maximum	
Range	1210 nm at maximum speed	
Generator sets	2x Caterpillar, type C2.2 T	
Output	2x 22.5 kW, 28 kVA	
Electric network	24V d.c., 230/400V – 50 Hz, single and parallel mode	
Bilge pump	Electric 400V	
Tank capacities	Fuel oil	22.00 m <sup>3</sup>
	Fresh water	1.70 m <sup>3</sup>
	Waste water	0.50 m <sup>3</sup>
	Bilge water/ dirty oil	0.40 m <sup>3</sup>
Deck equipment	Deck crane Heila, type 20-SL 20 tm, fixed hook 1250 kgs at 12.60 mtrs	
Deck space	90 m <sup>2</sup> forward	
Deck cargo capacity	15 tonnes forward	
Deck load capacity	1.5 tonnes/m <sup>2</sup> maximum	
Container capacity	2x 10 ft or 1x 20 ft container	
Helicopter winching zone	5 mtr diameter on fore deck	
Cabins	2 single cabins, 2 double berth cabins, being 6 berths in total	
Passenger capacity	Up to 24 passengers	
Wheelhouse	18 Motion damping seats, settee & technical office.	
Main deck and below main deck	Mess room/ day room, pantry, cabins, laundry facility and store, 6 optional passenger seats.	
Heating and cooling	Air-conditioning in the wheelhouse and the main deck accommodation	
Nav./comm. equipment	Compass, echo sounder, 2x VHF, radar, GPS/Navtex, AIS, autopilot, MF/HF, CCTV, SAR Finder	
Class	Bureau Veritas I ✕Hull •MACH, Light Ship / Fast Utility Vessel, <b>Sea Area 3</b> MCA Cat2(1)	

















































































































