# 

### FCS 4008 Crewboat

**Full specification** 

# About this vessel type

Damen's FCS range provide safe and comfortable crew transport based on the improved seakeeping behaviour that comes courtesy of the Axe Bow. The main focus of the FCS 4008 is crew transfer, but thanks to the spacious aft deck it is also capable of carrying deck cargo. It can also handle a range of equipment like cranes, fire-fighting apparatus and rescue craft.

Having served on the seas for decades, the Damen Fast Crew Supply Vessel designs are of proven reliability. The basis for the range is a balance between comfort, speed, operability, efficiency and flexibility.

The FCS creates a fast, reliable connection between port and offshore operations. The Sea Axe hull reduces demands on crew. Propulsion options allow operational requirements to be matched with efficiency.



### Suitable for offshore crew transfers



(photo taken when new)

3

Built 2017

Dimensions 41.20 x 8.70 x 3.90 m

Draft 3.00 m

Steel hull, aluminium superstructure

Range 1200 nm at maximum speed



### **Bridge deck**

4




© Damen Trading & Chartering (DT&C). Unauthorized use and/or duplication of this material without express and written permission from DT&C is strictly prohibited. Excerpts and links may be used, provided that full and clear credit is given to DT&C with appropriate and specific direction to the original content.



### Aft deck

5




Free deck area 140 m<sup>2</sup>

Deck strength 2.5 tonnes/m<sup>2</sup>

Wooden deck cover partly renewed mid 2023.



### Anchor winch and wheelhouse







Bridge

7



Navigation and communication according to class regulations.

Bureau Veritas I ⊮Hull •MACH Crew Boat Sea Area 4

All windows are provided with sunscreens.



### Heavy duty rubber fenders and tyres





### Passenger area

9



Passenger area on main deck with seats for 90 persons.



### Passenger area





### **Galley below main deck**



11



© Damen Trading & Chartering (DT&C). Unauthorized use and/or duplication of this material without express and written permission from DT&C is strictly prohibited. Excerpts and links may be used, provided that full and clear credit is given to DT&C with appropriate and specific direction to the original content.



### **Mess-room below main deck**





### **Crew accommodation below main deck**









### **Propulsion**

14



Four fixed pitch propellers.

Bow thruster 120 kW, electrically driven.



### **Engine room**

15



4x Caterpillar, type C32 TTA, 5798 hp total Top-end overhaul mid 2023.

Speed ± 26 knots

4x Reintjes, type WVS 730/1 L

Engine room ventilation: 2x 15.500 m<sup>3</sup>/hr each



### Main engines





### Generators

17



2x Caterpillar C 4.4, each 99.0 ekW – 123.0 kVA Complete major overhaul mid 2023.



### **Tank capacities**

Content	Indication on tank	Net volume (m3)
Fresh water cargo tank	3 FW	20.95
Sewage tank CL	5 SE	1.89
Fresh water tank CL	6 FW	13.38
Fuel oil tank SB	7 FO	30.92
Fuel oil tank PS	8 FO	30.92
Fuel oil day tank SB	9 FO	2.65
Fuel oil day tank PS	10 FO	2.65
Bilge water tank	11 BW	1.02
Dirty oil tank	12 DO	1.02



### Fuel and water seperator





### **Air-conditioning**

20



Air-conditioning compressor unit installed.

© Damen Trading & Chartering (DT&C). Unauthorized use and/or duplication of this material without express and written permission from DT&C is strictly prohibited. Excerpts and links may be used, provided that full and clear credit is given to DT&C with appropriate and specific direction to the original content.




### **Electrical switch boards**






### **Profile**






### Bridge deck and top deck




### Main deck





### **Below main deck**





### **Special features**

#### >>> Linking sea and shore

The FCS creates a fast, reliable connection between port and offshore operations. The Sea Axe hull reduces demands on crew. Propulsion options allow operational requirements to be matched with efficiency.

#### We never compromise on safety

Damen never compromises on safety. Our Fast Crew Suppliers embody the highest safety standards. And although designed for speed and efficiency, they still have excellent seakeeping abilities thanks to our Sea Axe hull design.

#### Excellent visibility

Not only does the FCS have excellent visibility from the wheelhouse, passengers also benefit from having an optimal view due to large windows. Often technicians are not seafarers, so we have aimed to make the FCS as comfortable as possible.

#### >>> Spacious deck, spacious accommodation

Large, flush and uncluttered decks are a major highlight of the FCS. And we have provided an optimised layout, featuring well-located operational compartments and spacious accommodation.

© Damen Trading & Chartering (DT&C). Unauthorized use and/or duplication of this material without express and written permission from DT&C is strictly prohibited. Excerpts and links may be used, provided that full and clear credit is given to DT&C with appropriate and specific direction to the original content.



#### DAMEN TRADING

### **Our team**




**Michel Radjiman** Senior Sales Manager Working with Damen Trading since 1997




**Michiel Dijxhoorn** Sales Manager Working with Damen since 2012



**Petra Buskens** Sales Assistant Working with Damen Trading since 1992







## DANEN